

HEIDENHAIN Length Gauge Packages from A Tech Authority

Package 1: Accuracy: 0.1 μm ; Recommended Resolution: 0.005 μm ;
Measuring Length: 25mm; Plunger Actuation: Motorized

CT 2501

CS 200 gauge stand

Holder for CT 2501

Ceramic Suction Plate

Diaphragm Pump

Compressor Tubing Kit

SG 25 M switch box

ND 287 Display



A Tech Authority, Inc.

Package 2: Accuracy: 0.1 μm ; Recommended Resolution: 0.005 μm ;

Measuring Length: 60mm; Plunger Actuation: Motor

CT 6001

CS 200 gauge stand


Ceramic Suction Plate

Diaphragm Pump

Compressor Tubing Kit

SG 60 M switch box

ND 287 Display



A Tech Authority, Inc.

Package 3: Accuracy: 0.2 μm ; Recommended Resolution: 0.05 μm ;

Measuring Length: 12mm; Plunger Actuation: Spring Force Down

MT 1281 (with spring)

Cable lifter

MS 45/100/200 gauge stands – (45)

MS 45/100/200 gauge stands – (100)

MS 45/100/200 gauge stands – (200)

Holder for MS 200 (if chosen)

ND 287 Display

Total Package Price (MS 45 Gauge Stand): \$-Call

Total Package Price (MS 100 Gauge Stand): \$-Call

Total Package Price (MS 200 Gauge Stand): \$-Call



Picture shown with MS 45 gauge stand.

A Tech Authority, Inc.

Package 4: Accuracy: 0.2 μm ; Recommended Resolution: 0.05 μm ;
Measuring Length: 25mm; Plunger Actuation: Spring Force Down
MT 2581

Cable lifter

MS 45/100/200 gauge stands – (45)

MS 45/100/200 gauge stands – (100)

MS 45/100/200 gauge stands – (200)

Holder for MS 200 (if chosen)

ND 287 Display

Total Package Price (MS 45 Gauge Stand): \$-Call

Total Package Price (MS 100 Gauge Stand): \$-Call

Total Package Price (MS 200 Gauge Stand): \$-Call



Picture Shown with MS 45 gauge stand.

A Tech Authority, Inc.

Package 5: Accuracy: 0.5 μm ; Recommended Resolution: 0.1 μm ;

Measuring Length: 60mm; Plunger Actuation: Motor

MT 60 M

MS 100/200 gauge stands - (100)

MS 100/200 gauge stands - (200)

Holder for MS 100 (if chosen)

SG 60 M switch box

ND 287 Display

Cable adapter from MT to ND

Total Package Price (MS 100 Gauge Stand):

\$-Call

Total Package Price (MS 200 Gauge Stand):

\$-Call



A Tech Authority, Inc.

Package 6: Accuracy: 1 μm ; Recommended Resolution: 0.1 μm ;

Measuring Length: 100mm; Plunger Actuation: Motor

MT 101 M

MS 100/200 gauge stands - (100)

MS 100/200 gauge stands - (200)

Holder for MS 100 (if chosen)

SG 101 switch box – (vertical)

SG 101 switch box – (horizontal)

Power adapter

ND 287 Display


Cable adapter from MT to ND

Total Package Price (MS 100 Gauge Stand):

\$-Call

Total Package Price (MS 200 Gauge Stand):

\$-Call



A Tech Authority, Inc.

4 Channel Gaging

Package 7: Accuracy: 1 μm ; Recommended Resolution: 0.5 μm ;

Measuring Length: 12mm; Plunger Actuation: Spring Force Down

ND 2104G Display

ST 1288 X 4

8 Channel Gaging

Package 8: Accuracy: 1 μm ; Recommended Resolution: 0.5 μm ;

Measuring Length: 12mm; Plunger Actuation: Spring Force Down

ND 2108G Display

ST 1288 X 8